

FW & JL

In this section you can add **Flight Watch** and **Journey Log** data. Inserted post-flight data to Journey Log allows to generate various kinds of reports in Leon (Crew, OPS, Sales, etc...).

Flight Watch and **Journey Log** can only be added to the confirmed flights.

Flight Watch is not available for the **Simulator** flights.


Flight Watch

Flight Watch data entrance panel

By clicking on FW & JL column Leon opens the tab in the right-hand side filter. If there is no Journey Log added Leon opens FW tab. If there is a Journey Log added (even if it is partly filled in) Leon opens JL tab.

FW contains several fields where you can input details such as:


- **CTOT** - calculated takeoff time - if it is the only detail added to FW in Flights List Leon shows **S**.
- **ETD** - estimated time of departure - if added to FW Leon shows **D**.
- **BLOFF** - block off time - if added to FW Leon shows **A**.
- **T/O** - take off time - if added to FW Leon shows **A**.
- **EET** - estimated endroute time (T/O + EET should equal ETA. i.e. T/O 12:00, EET 02h30m, so ETA should be 14:30). The value is diaplyed in the format:HHhMMm, i.e. 12h15m.
- **ETA** - estimated time of arrival.
- **LDG** - landing - if added to FW Leon shows **+**.
- **BLON** - block on time - if added to FW Leon shows **+**.
- **Pax** - number of passengers.
- **DIV** - diversion - insert the code of the airport to which the flight was diverted.
- **Cargo** - cargo weight.
- **Delay** - delay code and the delay time can be inserted (the format: code/delay i.e. 14/0010 where 0010 means 00:10 minutes) - if added to FW Leon shows **D**.
- **Notes** - add notes which can be read by OPS or crew.




Date input in the Flight Watch

Date of the time input can be selected for each individual box apart from EET. As soon as you click inside the applicable box Leon will display the date underneath the box in the “ddMMM” format. If there is a need to **change** the date, simply click on the date displayed below the box and choose the new date from the calendar.

At the bottom of the panel Leon will show information “**Last modified by**” showing Eurocontrol or SITA and UTC time of the change. For manual changes Leon will show user's name/surname and UTC time of the change.



Manual MVT Messages



Manual sending of MVT messages

It is possible to send MVT messages **manually** using selected movement rule as the template source.

To send MVT message manually you have to follow the below steps:

1. Fill in FW and save it.
2. Click on 'SEND MVT' button to populate a 'Send MVT' pop-up window where you can select Movement rule as the template source. This is a template assigned as an 'MVT rule' in a section Settings > MVT Messages to an aircraft you're sending the MVT for.
3. Once you chose a template the system prepopulates message and recipients according to selected 'MVT rule'. You can now customize every part of final message and recipients.
4. If everything is ready, press 'SEND'.



not populate any choice.

Importing MVT Messages

Movement messages can be imported to Leon if they are being sent to email address mvt@leon.aero and if they are in one of the below formats:

- SITA format message
- SATCOM format message

SITA format

Departure message format

MVT
ABC123/03.ACREG.STN
AD1200/1300 EA1600 AMS
DL01/0101
PX100
SI ...

Example of SITA departure message is showed in the screen.

The data included is as follow:

- **ABC123/03** - flight number and day of the month
- **ACREG** - aircraft registration number
- **STN** - departure airport (in this case it is London Stansted)
- **AD1200/1300** - actual departure. BLOFF at 1200, airbourne at 1300
- **EA1600** - estimated arrival time. There have to be spaces before EA and after 1600
- **AMS** - arrival airport (in this case it is Amsterdam)
- **DL01/0101** - delay information including delay reason and time of delay in hhmm, i.e. 01/0101 means that the reason is a custom 01 and the flight is delayed by 1h1min. If there are **more than one delay codes**, the format should look as follow rr/rr/hhmm/hhmm, ie 01/02/0101/0202
- **PAX100** - number of PAX on board
- **SI...** - space for supplementary information inserted after SI which will be populated in FW Notes section in Leon

Arrival message format

MVT
ABC123/03.ACREG.AMS
AA1600/1610
SI ...

The data included in SITA arrival message include:

- **ABC123/03** - flight number and day of the month
- **ACREG** - aircraft registration number
- **AMS** - arrival airport
- **AA1600/1610** - Arrival identifier including touch-down time (1600) and BLON time (1610)
- **SI...** - space for supplementary information inserted after SI which will be populated in FW Notes section in Leon

SATCOM format

Takeoff Report and Landing Report messages imported to Leon need to be in **specific formats**. Once such messages are received they will be automatically added to '**Flight Watch**' in Leon (**BLOFF when Takeoff Report sent and BLON when Landing Report sent**). See the example of the flight below.

Takeoff Report format

subject:

Takeoff Report for AC-REG

message:

Takeoff Report

Off Time: 11-Jun-2013 0700 UTC / 11-Jun-2013 0900 LCL

Departure Airport: LIML - LINATE

Destination Airport: LIRA - CIAMPINO

ETA 11-Jun-2013 0800 UTC / 11-Jun-2013 1000 LCL

Landing Report format

subject:

Landing Report for AC-REG

message:

Landing Report

On Time: 11-Jun-2013 1000 UTC / 11-Jun-2013 1200 LCL

Departure Airport: LIML - LINATE

Destination Airport: LIRA - CIAMPINO

ACARS format

ACARS movement emails can be sent out in the same way as SATCOM or SITA - to the email address mvt@leon.aero and Leon will update **Flight Watch** with details input in the mvt email.

Below you can find appropriate formats which should be used.

- **OFF REPORT extended version**

Subject: A-BCDE OFFRP (where A-BCDE is acft reg number)

To: mvt@leon.aero

Content

10-JUN-2015 15:00:00

OFF EVENT REPORT

ORIGIN: WAW

DESTINATION: AMS

OUT TIME: 1456

OFF TIME: 1500

FUEL ON BOARD: 0430

ETA: 1554

- **OFF REPORT simplified version**

Subject: A-BCDE OFFRP (where A-BCDE is acft reg number)

To: mvt@leon.aero

Content

A-BCDE OFF REPORT

ORIG: WAW

DEST: AMS

TIME: 1456

- **IN REPORT extended version**

Subject: A-BCDE INRP (where A-BCDE is acft reg number)

To: mvt@leon.aero

Content

10-JUN-2015 16:00:00

IN EVENT REPORT

ORIGIN: WAW

DESTINATION: AMS

ON TIME: 1600

IN TIME: 1610

FUEL ON BOARD: 0470

- **IN REPORT simplified version**

Subject: A-BCDE INRP (where A-BCDE is acft reg number)

To: mvt@leon.aero

Content

A-BCDE IN REPORT

ORIG: WAW

DEST: AMS

TIME: 1600

FOB: 0470

The format of the 'subject' & 'message' **MUST** be always the same, which means, that if you add anything to the text in either 'subject' or 'message' format, the message **WILL NOT** get imported into the 'Flight Watch'.

Eurocontrol

It is possible to receive Flight Watch times automatically to Leon from Eurocontrol servers.

Eurocontrol is an international organisation working to achieve safe and seamless air traffic management across Europe. Eurocontrol works with national authorities, air navigation service providers, civil and military airspace users, airports, and other organisations. Its activities involve all gate-to-gate **air navigation service operations**: strategic and tactical flow management, controller training, regional control of airspace, safety-proofed technologies and procedures, and collection of air navigation charges. For more information, please visit [Eurocontrol website](#).

In order to integrate with Eurocontrol, you have to open a section [Integrations](#), click **ENABLE** button, then switch the Status to **ON** and save changes.

If the Operator ICAO code in the section Settings > Handling Request tab is the same as registered with Eurocontrol, the integration will be completed upon saving changes. If the ICAO code in Leon doesn't match the one registered with Eurocontrol, you will see an error message saying "Operator ICAO not recognized by Eurocontrol".

When the integration is completed, **Flight Watch** in Leon will start receiving flight times from Eurocontrol servers. You will recognise them by opening a Flight Watch and hovering the mouse over the time value, as shown in the screenshot above. Eurocontrol will **only** send Block off, Take off, Landing and Block on times.

Journey Log

123 D-LEON 16:00z EPWA - EGGW 18:50z

CHECKLIST FW JL

FULL JL MANDATORY FIELDS [?]

Date*: 22 Oct 2019 ADEP*: EPWA ADES*: EGGW

copy data from file BLOFF*: 16:01 T/O*: 16:09 LDG*: 18:45 BLON*: 18:53

All times in UTC

± 02:36 ± 02:52

Block fuel* [?]: 3000 lbs

Fuel used* [?]: 2000 lbs

Fuel remaining* [?]: 1000 lbs

OPTIONAL JL FIELDS

Approach: --

Discretion [?]: ☐

Custom code: --

Notes:

Rest Facility: Suitable

Engine rate: 0

Deicing: ☐

Files: UPLOAD FILES

You can drag & drop files to this section.

TAH: All past flights journey logs for this aircraft must be filled out


TAC:

Last modified by Rafał Gryniak 25-Oct-2019 at 13:56 UTC

Journey Log - post-flight data input panel

Joining 1 to 3 tables		
1) Inner join	2) Left join	3) Right join
4) Natural join	5) Outer join	6) Full join
7) Self join	8) Cross join	9) Aggregation
10) Subquery	11) Window function	12) Group by
13) Distinct	14) Order by	15) Limit
16) Union	17) Join on	18) Join using
19) Join with	20) Join with	21) Join with
22) Join with	23) Join with	24) Join with
25) Join with	26) Join with	27) Join with
28) Join with	29) Join with	30) Join with
31) Join with	32) Join with	33) Join with
34) Join with	35) Join with	36) Join with
37) Join with	38) Join with	39) Join with
40) Join with	41) Join with	42) Join with
43) Join with	44) Join with	45) Join with
46) Join with	47) Join with	48) Join with
49) Join with	50) Join with	51) Join with
52) Join with	53) Join with	54) Join with
55) Join with	56) Join with	57) Join with
58) Join with	59) Join with	60) Join with
61) Join with	62) Join with	63) Join with
64) Join with	65) Join with	66) Join with
67) Join with	68) Join with	69) Join with
70) Join with	71) Join with	72) Join with
73) Join with	74) Join with	75) Join with
76) Join with	77) Join with	78) Join with
79) Join with	80) Join with	81) Join with
82) Join with	83) Join with	84) Join with
85) Join with	86) Join with	87) Join with
88) Join with	89) Join with	90) Join with
91) Join with	92) Join with	93) Join with
94) Join with	95) Join with	96) Join with
97) Join with	98) Join with	99) Join with
100) Join with	101) Join with	102) Join with
103) Join with	104) Join with	105) Join with
106) Join with	107) Join with	108) Join with
109) Join with	110) Join with	111) Join with
112) Join with	113) Join with	114) Join with
115) Join with	116) Join with	117) Join with
118) Join with	119) Join with	120) Join with
121) Join with	122) Join with	123) Join with
124) Join with	125) Join with	126) Join with
127) Join with	128) Join with	129) Join with
130) Join with	131) Join with	132) Join with
133) Join with	134) Join with	135) Join with
136) Join with	137) Join with	138) Join with
139) Join with	140) Join with	141) Join with
142) Join with	143) Join with	144) Join with
145) Join with	146) Join with	147) Join with
148) Join with	149) Join with	150) Join with
151) Join with	152) Join with	153) Join with
154) Join with	155) Join with	156) Join with
157) Join with	158) Join with	159) Join with
160) Join with	161) Join with	162) Join with
163) Join with	164) Join with	165) Join with
166) Join with	167) Join with	168) Join with
169) Join with	170) Join with	171) Join with
172) Join with	173) Join with	174) Join with
175) Join with	176) Join with	177) Join with
178) Join with	179) Join with	180) Join with
181) Join with	182) Join with	183) Join with
184) Join with	185) Join with	186) Join with
187) Join with	188) Join with	189) Join with
190) Join with	191) Join with	192) Join with
193) Join with	194) Join with	195) Join with
196) Join with	197) Join with	198) Join with
199) Join with	200) Join with	201) Join with
202) Join with	203) Join with	204) Join with
205) Join with	206) Join with	207) Join with
208) Join with	209) Join with	210) Join with
211) Join with	212) Join with	213) Join with
214) Join with	215) Join with	216) Join with
217) Join with	218) Join with	219) Join with
220) Join with	221) Join with	222) Join with
223) Join with	224) Join with	225) Join with
226) Join with	227) Join with	228) Join with
229) Join with	230) Join with	231) Join with
232) Join with	233) Join with	234) Join with
235) Join with	236) Join with	237) Join with
238) Join with	239) Join with	240) Join with
241) Join with	242) Join with	243) Join with
244) Join with	245) Join with	246) Join with
247) Join with	248) Join with	249) Join with
250) Join with	251) Join with	252) Join with
253) Join with	254) Join with	255) Join with
256) Join with	257) Join with	258) Join with
259) Join with	260) Join with	261) Join with
262) Join with	263) Join with	264) Join with
265) Join with	266) Join with	267) Join with
268) Join with	269) Join with	270) Join with
271) Join with	272) Join with	273) Join with
274) Join with	275) Join with	276) Join with
277) Join with	278) Join with	279) Join with
280) Join with	281) Join with	282) Join with
283) Join with	284) Join with	285) Join with
286) Join with	287) Join with	288) Join with
289) Join with	290) Join with	291) Join with

Journey Log items available in the section Settings > Flight Editing



Night Time calculation in Leon

[Video Tutorial](#)

You can add flight times to the **Journey Log** from the scratch or you can copy them from FW (by clicking the blue button). All data inserted to JL is then used in reports.

Apart from the obvious fields in JL such as Date, ADEP, ADES, BLOFF, T/O, LDG and BLON - there are also other available fields split into 2 sections:

Mandatory JL fields

- **MAX FL** - maximum flight level during the flight - Leon uses this data to calculate [Cosmic Radiation Dose](#). You can also check [Cosmic Radiation Summary](#) for all crew members.
- **Block fuel** - the total fuel required for the flight and is the sum of the Taxi fuel and the Trip fuel.
- **Fuel used** - total fuel used on the trip.
- **Fuel remaining** - difference between Block fuel and Used fuel (Leon calculates this value automatically).


It is possible to set up a default fuel unit per the aircraft: KG, LBS, L or US GAL - in an aircraft edition panel (section Settings > Fleet)

Hover the mouse over BLOFF, T/O, LDG, BLON to see alternative indications: OUT, OFF, ON, IN.


Optional JL fields

- **Landings** - in case of training flights (when more than 1 circuit was performed) you can insert the exact number, which will be used to calculate crew currency (explained in [this](#) chapter).
- **Delay code** - delay details must be input in the format: code/delay i.e. 14/0010 where 0010 means 00:10 minutes.
- **Night time** - if the flight was during the night (in the period sunset-sunrise for a particular airport), by clicking on this field Leon will show 2 values: flight time & block time.
- **CMT** - commercial time - used in salary calculation which can be generated [in this report](#) if wages have been defined in section Settings > Aircraft Crew Positions.
- **PAX** - total number of passengers.
- **Uplift** - fuel value before the takeoff.
- **Pilot flying** - insert a pilot's code who has performed the trip. If a captain has done takeoff and a first officer has done the landing, insert both codes in the format: CPT/FO. 'Pilot flying' field is used to calculate crew currency (explained in more details [here](#)).
- **Approach** - there are different types of approaches available: ILS cat I, ILS cat II, ILS cat III, GPS, VOR or NDB, Visual, PNB, RNP AR.

- **Approach type** - types available are: LVO, Precision, Non-precision, Visual, 2D, 3D, CDI and AZI
- **HUD/EVS** - Head Up Display/Enhanced Vision System approach.
- **Discretion** - if there was FDP extension due to Commander's Discretion, mark this checkbox, then if you edit crew member's FTL Sheet in a column 'CD' you will see how much time beyond permitted FDP was used as the Commander's Discretion extension.
- **Notes** - add notes for OPS or other departments.
- **Rest Facility** - select the one used for the augmented crew - Leon then will increase MAX FDP. You can define options for RF in section Settings > Flight Editing as well as per an aircraft in section [Fleet](#).
- **Night time** - select 'flight time' or 'block time' from the drop-down box. Leon automatically calculates both values as any time between hours of ECT (evening civil twilight) and MCT (morning civil twilight) - see screenshot on the right for details.
- **Instrument Time** - time in the air spent flying by IFR. When rule I-IFR is set in OPS > FLIGHT tab, data input shows flight time (it can be over-written). If V-VFR is set - Instrument time needs to be entered manually. Instrument Time cannot be longer than Flight Time.
- **TAH & TAC** - total aircraft **hours & cycles**. Leon shows data **ONLY** if every single JL has been filled in for particular aircraft. In brackets, there are TAH displayed in **decimals restricted to one space after a comma**, i.e. 10969:43 (10969.7).
- **Engine rate** - numeric values of thrust set for take-off (if there was full available thrust set, or any derates used).
- **Upload files** - PDF and graphics files can be dragged and dropped to this section.



Option to delete JL

If the **JL is inserted by mistake**, for example for the future flight, it is possible to **delete** it. To delete JL you need to click on  icon located in the top-right corner of the 'JL' tab. There are 3 options available:

- **Clear changes** - clears data inserted in JL **before it is saved**. Useful when incorrect data is inserted in the JL and has to be cleared. Rather than clearing it from each individual field
- **Cancel Journey Log** - cancels saved Journey Log. Cancelling the JL will clear the data as well as display the flight in CALENDAR view as cancelled
- **Delete Journey Log** - allows deleting JL. Useful when the JL is inserted by mistake, for example, on the future flight. Deleting JL clears mistakenly inserted data as well as keeps the flight active

At the bottom of the Journey Log panel you can find an information **Last modified by** showing name & surname of the user who made changes in JL as the last one as well as UTC time of those changes.

Fuel in litres & US gallons

It is now possible to add **Fuel** data in **litres** or **US gallons** in the Journey Log panel.

In a section Settings > Fleet, edit the aircraft and set up a default fuel unit as **L** or **US Gal**

UNITS

Weight

☐ kg ☒ lbs

Fuel

☐ kg ☐ lbs ☒ L ☐ US Gal

Once the default fuel unit is set up, you can add fuel in litres or US gallons in the Journey Log panel (as on screenshot below) - the default fuel unit applies to: Block fuel, Used fuel, Remaining fuel and Uplift.

COPY DATA FROM FW

BLOFF*: 16:00

T/O*: 16:10

LDG*: 17:05

BLON*: 17:13

All times in UTC

Σ 00:55

Σ 01:13

MAX FL* [?]: 340 FL

Block fuel*: 4500 L

Fuel used*: 2500 L

Fuel remaining*: 2000 L

COPY DATA FROM FW

BLOFF*: 16:00

T/O*: 16:10

LDG*: 17:05

BLON*: 17:12

All times in UTC

Σ 00:55

Σ 01:12

MAX FL* [?]: 340 FL

Block fuel*: 3500 US Gal

Fuel used*: 1500 US Gal

Fuel remaining*: 2000 US Gal

The same defined fuel unit shows in the

EDIT LOG

 panel (suitable for adding JL data for multiple sector trip)

Block fuel*	Fuel used*	Fuel remaining*	Uplift [?]
<div>3500</div>	<div>1500</div>	<div>2000</div>	<div>US Gal</div>
<div>US Gal</div>	<div>US Gal</div>	<div>US Gal</div>	<div>US Gal</div>

We also added **Fuel density (kg/L)** in the JL section. This field is optional and can be activated in Settings > Flight Editing > Journey Log section.

The **default Fuel density values** are as per below:

- **JET A-1** - 0.81556862 kg/L
- **AVGAS** - 0.69559241 kg/L

The value is selected by default in the JL based on fuel type set in Settings > Fleet > OPS tab. This field allows amending the density of the fuel with the values between 0 and 1.

The density value is automatically added when creating new refueling. The density value reacts to the 'Fuel type' changes in the 'New Refueling'.

All the reports that take fuel into consideration such as: CO2 emission, Aircraft Flights, Network Departures, columns in Report Wizard will recalculate with accordance to this density value.

Adding JL to multiple sectors




Adding JL data to multiple sectors


If you want to add Journey Log to multiple sectors on one screen, click **EDIT LOG** button at the bottom of OPS panel and fill in a new open window (see screenshot on the right).

The 'Edit trip JL' window is split into 2 sections“

1. **Trip summary** - showing an aircraft reg number, flight number, date, ADEP, STD, STA, ADES, Block time and assigned crew (codes).
2. **Journey Log** - showing all default fields (defined in Settings > Flight Editing) to be filled in.



Deleting Journey Log

To delete a journey log click **X** icon (between the trash icon and the status dot). Leon will show a blank JL page. Once it's saved, in a column **FW & JL** instead of a dot Leon will show 'X'. To bring a journey log page back click , however, Leon will NOT restore previous entrances - it will only

restore JL fields to be filled in again.

From:

<https://wiki.leonsoftware.com/> - **Leonsoftware Wiki**

Permanent link:

<https://wiki.leonsoftware.com/leon/fw-jl?rev=1586249405>

Last update: **2020/04/07 08:50**

