

General Settings

[Video Tutorial](#)

[Trusted IP & User Login History](#)

This section includes many options/settings which can be used by operators. It is grouped into the following sub-sections:

- **General**
- **Flight editing** - full section explained [here](#)
- **GAR emails**
- **Documents** - full section explained [here](#)
- **Sales Module** - full section explained [here](#)
- **Crew Planning** - full section explained [here](#)
- **Mobile Notifications** - full section explained [here](#)
- **Fuel** - full section explained [here](#)
- **Phonebook** - settings related to PAX
- **Crew App** - settings that apply to the Crew mobile app
- **Security** - settings that apply to the user login settings

Tab 'General'

This tab consists of 3 subsections:

- **General settings**
- **Leon inbox settings**
- **Bases**

General settings

- **Operator ICAO** - an ICAO code by which an operator is recognizable by **Eurocontrol** (so that flight times can be imported from Eurocontrol straight to Leon's 'Flight Watch' - if the integration with Eurocontrol is switched on, in [Add-ons](#) panel). This code is also used in Handling Requests.
- **Operator IATA** - an operator IATA code, used in 'Show Schedule' panel (in a section OPS) and Handling Requests.
- **Region** - select between EN & US to define the date-format. Also, when US region is selected Leon changes the date format displayed in the OPS section. Also, Flight Watch times indications: BLOFF > OUT, T/O > OFF, LDG > ON, BLON > IN. In the same way, Flight Watch columns will change in Report Wizard.
- **Default weight unit** - select kg or lbs, which will be a default, unless an aircraft has it defined differently in its profile (in Settings > Fleet panel), then Leon takes the aircraft fuel & weight units as default (displayed in the Journey Log).
- **Default airport category** - here you can set a default airport category for all airports available in [Airport Directory](#) panel.

- **Default local currency** - you can define them by selecting the currency from the drop-down box.
- **Options and Opportunities will change position of aircraft on Calendar page** - when this box is ticked, a flight-option/opportunity added in OPS > CALENDAR screen will change the position of the aircraft for future days.
- **Display the experience table** - the table can be input to the user's profile, where you can add the past crew-experience before joining your company. More information [here](#).
- **Crew Panel** - option to choose between 'Auto publish' and 'Manual publish' of assigned duties in the 'Crew Panel' section
- **Crew age validation** - setting that validates age of cockpit crew. There are 3 options available: 'Disable' - no age validation; 'Enable over 60 years' - checks if the CPT and FO are over 60 years of age each; 'Enable over 65 years' - checks if the CPT and FO are over 65 years of age each. If both Cockpit Crew members fail validation, Leon will issue the following warning: 'Assigned CPT (FO) is over 60 (65) years old'. Crew age validation is being checked for **commercial flights only**.
- **System notification recipients** - in this field, you can define a list of mail addresses that will receive system notifications. System notifications include notifications about integration errors, mailbox suspensions, etc.
- **Timeline additional markers** - section where you can create the 'Timeline' markers definitions. More information about the functionality can be found in the [New Timeline](#) section.

Leon inbox settings

You can send messages to Leon users by using the 'Messages' tool. Once the message has been sent out, Leon can notify them about it by marking the envelope-icon in yellow. You can also decide if the message is visible in the crew's private inbox or if they still need to log in to Leon to read the content. This is quite useful if you want your users to confirm familiarisation.

Leon inbox settings

Notify users about new messages in their inbox

☐ No
☒ Only for messages requiring familiarization
☐ Yes

Attach message content to Leon inbox mail notification

☒

Bases

If a company has more than one main **base** where the staff is located then you can define in Leon more bases and assign them to particular aircraft as well as to a proper crew and other staff members. Then you can filter particular pages by a proper base and view flights or duties only for that base.

By selecting a **time zone** you can then select **Base Time** in a section OPS, right-hand filter (at the bottom).

Bases can be used in [SCHED](#) panel when adding schedules on virtual aircraft.

Bases				
Name	Time zone	OPS email	Sales email	Customer service email
Szczecin	Warsaw (PL, UTC+02:00)	ops@leon-test.aero	sales@leon-test.aero	customer@leon-test.aero
Poznan	London (GB, UTC+01:00)			
WAW	Warsaw (PL, UTC+02:00)			
BNE	Brisbane (AU, UTC+10:00)			

'Bases' emails settings

OPS, Sales and Customer Service emails for Bases

It is also possible to set up the '**OPS emails**', '**Sales emails**' and '**Customer Service emails**' for Bases in the 'General Settings' section.

Once emails for bases are inserted, they can be selected as the 'Reply to' emails in the 'Email Templates' > 'Recipients' tab.

EXAMPLE

User data

Login*

DEL

Code

DEL

Permission Group

Admin

Home base*

AMS

history

Home base

history

User base

MEL

Crew ID

9999

Crew External ID

'User base' assigned in the User profile

User is assigned to MEL user base in the profile (full edit profile, 'Basic' tab).

Based on the 'User base', the assigned 'OPS email' is melops@man.com and the 'Sales email' is melsales@man.com.

In the 'Email Templates' section > 'Recipients' tab of any template, the relevant 'Reply to' option can be selected. Below, Base sales email option selected on the 'Charter Agreement' template:

Reply to:

☐ As defined

sales@man.com

☐ User sending email

☐ User sending Base OPS email

i

☒ User sending Base sales email

i

☐ User sending Base customer service email

i

Once this template is used, the relevant base email will apply to the 'Reply to' field. Below, 'Sales email' assigned to MEL base:

Document template

Charter Agreement (REV1)

Email template

CA English

TO

diaconuamd@gmail.com

CC

BCC

FROM

Thomas Delta

REPLY TO

melsales@man.com

The abovementioned functionality can apply to any email template in Leon.

Days off

Days off

Weekend

☒ Friday & Saturday

☐ Saturday & Sunday

Days Off List

name	from	to	
DOD	08-02-2023	08-02-2023	<div><div></div><div></div><div></div></div>
ABC	10-02-2023	10-02-2023	<div><div></div><div></div><div></div></div>

'Days off' settings

In this section, it is possible to select:

- **Weekend** - weekend days selection
- **Days Off List** - option to insert days off such as Bank Holidays, Christmas, etc. These selected days will be highlighted light-green in the OPS CALENDAR and the CREW CALENDAR sections

Tab 'GAR emails'

GAR Emails

Send Email To:

Default email content:

Send Email To:

Default email content:

Default format:

☐ PDF

☒ XLS

GAR Template settings

GAR emails configuration can be found in a section Settings > General Settings as a separate tab.

General

Flight editing

GAR emails

Quotations

Documents

In this page you can insert a default '**Cc**' email address as well as a default **email content**.

Here you can also choose the **format** of the file itself. Attached file can be sent either as **PDF** or **XLS**. The format can be switched to a different one before sending GAR in GAR window.

More information regarding GAR functionality in Leon can be found under [here](#).

Separate GAR templates are available for

Jersey & Guernsey islands


Tab 'Phonebook'

The 'Phonebook' tab contains the following options:

- **Is account required** - checkbox that, if ticked, requires the new Phonebook entry to be assigned to an Account
- **Automatically delete PAX after given days** - option to set up Leon to automatically remove passenger details from the system if they are not assigned to flights within a specified timeframe. By default, this function will be turned off for all operators. More information below

Automatically delete PAX after given days

The 'Automatically delete PAX after given days' configuration contains the following options:



The screenshot shows a configuration form titled 'Automatically delete PAX after given days?'. It contains three fields: 'Delete PAX enabled' with a checked checkbox, 'Send notification 7 days before delete to:' with the email address 'phonebook@manops.com', and 'Delete PAX after?' with the value '30'.

'Automatically delete PAX...' setting

- **Delete PAX enabled** - option to enable automatic deletion.
- **Send notification 7 days before deletion to:** - specify an email address where a notification containing passenger names scheduled for deletion will be sent seven days before the deletion date. This field is mandatory if the '**Delete PAX enabled**' checkbox is selected.
- **Delete PAX after** - a field where it will be possible to indicate the number of days (by entering a numerical value) after which PAX data will be deleted if PAX is not assigned to the flight within the specified timeframe. The minimum threshold for deleting PAX is 30 days.

Please use this function with extreme caution, as the deleted data cannot be recovered!

It is **possible to exclude the PAX** that are not to be automatically deleted by selecting the **Never delete automatically** setting in the Phonebook > Passenger profile > 'MISC' tab.

Automatically mask PAX after given days

This setting automatically masks passenger (PAX) contact information not used in trip bookings or sales quotes within the past days. This function enhances data privacy and security.



The screenshot shows a configuration form titled 'Automatically mask PAX after given days?'. It contains two fields: 'Mask PAX enabled' with a checked checkbox, and 'Mask PAX after?' with the value '30'.

'Automatically mask PAX after given days' settings

The 'Automatically mask PAX after given days' configuration contains the following options:

- **Mask PAX enabled** - Activates the functionality
- **Mask PAX after** - Number of days after which PAX will be masked.

Conditions

For this functionality to work the following conditions have to be met:

- PAX cannot be a User
- PAX cannot be marked as 'Deleted'
- PAX cannot be marked as 'Is representative'
- PAX is selected as a passenger on a past flight but was not assigned to a flight within the days indicated in the 'Mask PAX after'


How it works




Example of masked passport in the PAX profile

Once the conditions for masking PAX data are met, the PAX details (currently 'Passport' number) will be unavailable for preview, as per the screenshot on the right.

Additionally, the passport number will be masked in the PAX sections of OPS > 'PAX' tab on a flight and Requests/Quotes > 'PAX' tab in a quote:



A User with the **Contact Mask** privilege set to 'EDIT' will be able to:

- **preview** the masked details in the PAX profile by clicking on the  icon, and
- **unmask** the details by clicking on the 'UNMASK' option in the PAX profile and saving changes

If a User's **Contact Mask** privileges are set to **DENY**, the user will see the  icon in the PAX profile with the following information: *You don't have permissions to unmask passports.*

Tab 'Crew App'

In this tab, it is possible to implement the default settings for [Crew Mobile App](#).

Fixed locations

In this section, it is possible to add the fixed 'Clock-in & clock-out locations.

If the clock-in/clock-out takes place within up to a 1km radius of the fixed location, this fixed location is selected as the clock-in/clock-out location.

It is possible to add multiple locations.

Location name	Latitude	Longitude	
Home	52.167738	20.811392	✖
Hotel	52.153852	20.799463	✖
<input type="text" value="Rental"/>	<input type="text" value="52.155103"/>	<input type="text" value="20.793567"/>	✖

'Fixed locations setting'

To add the new location click on the 'Add New' button, fill in the required fields, and press 'Update' to save the locations.

There are three columns available:

- **Location name** - Name of the location
- **Latitude** - Latitude in decimal
- **Longitude** - Longitude in decimal

← Duty Details

Duty TR:

2022-11-23

Clock In time:

19-11-2022 08:49:40

Clock In localization:

Rental

Clock Out time:

Not clocked out yet

Clock Out localization:

Not clocked out yet

Clock Out

Clock in location selected

EXAMPLE

There are 3 locations inserted, as per the screenshot.

'Hotel and 'Rental locations are in close proximity to each other.

Clock-in happened between the two abovementioned locations and within a radius of 1km from each of them.

In this case, location Rental was picked by the Crew App automatically, based on the proximity (nearest location selected).

Tab 'Security'

In the 'Security' tab additional security login settings can be selected.

The additional security options are:



Force two factor authentication for all users ☐


Trusted IP

Second factor validity time [h]

'Security' tab

- **Force two factor authentication for all users** - 'Two factor authentication' applied globally per operator. More information about this option can be found [HERE](#).
- **Trusted IP** - a section where trusted IP addresses can be inserted. IP addresses listed here will not be subject to 2FA authentication
- **Single sign-on settings** - a section where alternative way of signing in to Leon can be set up
- **Second factor validity time [h]** - This setting decides, that after logging in using two-factor authentication, following logins for this user, on that specific machine, can be performed without using a second factor for a certain amount of hours (MAX 12h)

Single sign-on settings



Microsoft SSO in Login page

The configuration panel can be accessed in the 'General Settings' of the admin panel under the 'Security' tab.

It contains the following options:

- **Enable SSO** - In order to enable SSO the box must be checked.
- **Operator domain** - Enter your company's Microsoft-registered domain here. Only accounts in that domain will be allowed to sign in to Leon.
- **Disable login and password access** - If you check this checkbox, you will only be able to log in using Microsoft SSO credentials, and logging in with Leon's credentials will not be possible.
- **Provider** - Choose Microsoft as a provider.

Single sign-on settings

Enable SSO

☒

Operator domain?^{*}

Disable login and password access

☐

Provider^{*}

Microsoft

▼

Once it is configured, Users will be able to **log in using the Microsoft account instead of Leon-generated login and password**, as per the screenshot on the right-hand side.

From:
<https://wiki.leonsoftware.com/> - **Leonsoftware Wiki**

Permanent link:
<https://wiki.leonsoftware.com/leon/general-setup>

Last update: **2024/03/25 11:19**

